Vibronic Interactions in Molecules and Crystals (Springer Series in Chemical Physics, Vol 49)

by I B Bersuker and V Z Polinger

Springer-Verlag : Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989

vii + 422 pages, 86 figures ; price : DM 178.00 (Hard cover) ; ISBN 3-540-19259-x

Due to the mathematical difficulties involved in quantum-mechanical treatment of polyatomic systems, the earlier treatment of the electronic and nuclear motions assumed the adiabatic approximation. In consequence of the difference in the masses of electrons and nuclei (the velocities of nuclei is negligible in comparison to the velocities of electrons), the electrons form a stationary distribution around the nuclei at each positions of the vibrating nuclei. Around 1937 it was shown by Teller and Jahn that for degenerate and pseudo-degenerate (close-in-energy) states, electronic terms cannot be treated by the adiabatic approximation. In these cases, the effect of the nuclear vibrations on the electronic terms should be taken into account. This effect has been designated as the "vibronic interactions in molecules and crystals". The book is essentially a description of the theoretical development of the vibronic interactions.

In the case of non-degenerate electronic states, the Schrödinger equation has been treated by the perturbation theory. The displacements of nuclei introduces the K.E. term due to the nuclei in the Hamiltonian. In the first-order perturbation the non-diagonal matrix elements of the K.E. are neglected. This corresponds to the adiabatic approximation. The Hamiltonian contains the potential energy due to the mean field of the electrons. This is called the adiabatic potential. For the general case including degenerate and pseudo-degenerate one, the nuclear displacements from the mean initial configuration are shown to be small and hence it allows to expand the Hamiltonian in a power series with respect to the displacements. With these considerations the vibronic Hamiltonian has been elegantly formulated in the second chapter. The wave functions in the degenerate case cannot be factorised into electronic and nuclear variables. The nuclear motions cannot therefore, be regarded as simple vibrations within the potential minima created by the mean electron field. The possible approximate methods for solving the vibronic Schrödinger equation has been discussed in some details. The vibronic Hamiltonian has been expressed as the sum of the Hamiltonian including K.E. of electrons and all inter-electronic interactions, the operator $V(r, Q_s)$ is used for the energy of electron-nuclei and nuclei-nuclei coulomb interactions and K.E. operator for the nuclei. Expanding operator $V(r, Q)$ (r is the electronic coordinates and Q is the nuclear vibrational coordinates) in power series and retaining the first terms, the vibronic Hamiltonian has been set up and solved by the first-order perturbation theory. The possible shapes of the adiabatic potential

at the point of degeneracy have been derived and from this the validity of the Jahn-Teller theorem has been confirmed. The non-existence of the extremum of at least one adiabatic potential surface at the point of degeneracy, i.e. the initial coordinates of a degenerate system (Jahn-Teller theorem) leading to instability and spontaneous distortion has been shown to be incorrect. According to the author, the charge distribution of the Jahn-Teller center derived from the wave function, interacts with electronic shells of the ligands to produce a force which distorts the molecule—the minimum of the adiabatic potential corresponding to the distorted configuration. For obtaining qualitative results, the shapes of the adiabatic potential sheets near the extrema has been derived and the results discussed for electronic nuclear interactions of different molecular symmetries in a separate chapter. The complicated problem of the solution of the vibronic equation has been dealt with in the 4th chapter. The evaluation of the energy spectrum and the wave functions of the vibronic interaction has been solved analytically for the limiting cases of weak and strong vibronic coupling only. The results on the changes of the energy spectrum of molecules and crystals due to vibronic interactions have been applied to the experimental observations on the manifestations of vibronic effect over a broad range of spectroscopy in the last but one chapter. The branches of spectroscopy included in the discussions are—shape and structure of the broad bands of electronic transitions, splitting and temperature dependence of zero-phonon lines, influence of vibronic effects in Raman spectra and absorption in IR region, structure of rotational IR spectra, fine and hyperfine structure, frequency and angular dependence of E.P.R. spectra.

the the last chapter, the structural phase transformation and observations on ferroelectricity in Jahn-Teller crystals have been discussed with the application of vibronic theory. It has been shown that in Jahn-Teller crystals having more than one equivalent minimum of the adiabatic potential, due to the lower symmetry of averaged displacements, the distortions are localised with equal probabilities producing several Jahn-Teller centres. These localised distortions are ordered to produce ferroelectric, anti-ferroelectric systems under various circumstances. At higher temperatures, the correlation between local distortions is destroyed and the crystal undergoes a phase transitions. The above observations have been derived and discussed in details from the vibronic theory. The authors have successfully taken great pains to present the current understanding of the effect of nuclear vibration on a variety of phenomenon. The publication not only contains a wealth of information on the vibronic effects in different fields of science but it also gives a very wide list of relevant reference making it indispensable for the readers and researchers interested in this field to study.

R K SEN

*Indian Association for the Cultivation of Science,
Jadavpur, Calcutta-700 032*

Universalities in Condensed Matter (Springer Proceedings in Physics, Vol 32)

(Proceedings of the Workshop, Les Houches, France, March 15-25, 1988)

edited by R Jullien, L Peliti, R Rammal and N Boccara

Springer-Verlag : Berlin-Heidelberg-New York-London-Paris-Tokyo, 1989

x+257 pages, 98 figures ; price : DM 85 (Hard cover) ; ISBN 3-540-50445-1

The book is a collection of contributions to the Les Houches workshop on 'Universalities in Condensed Matter Physics' held in France, March 15-25, 1988. About fifty articles are divided under five different headings, Geometrical approaches, Critical scaling, Ramified structures and Fractals, Anomalous scaling laws and Dynamical systems and Turbulence, the common thread linking them being the search for some sort of similarity among radically different systems in composition and structure.

The emergence of the Renormalisation Group theory during seventies provided a strong theoretical basis by developing a precise definition of universality that was experimentally testable in particular, in case of phase transition behaviour. The success of the theory further motivated works in region other than pure thermodynamic phase transitions and the concept of universality has been further broadened, augmented and enriched by results both theoretical and experimental obtained from diverse fields.

In the first group of articles, the main emphasis has been laid on defining universality in quasiperiodic structures in terms of curvature and disinclination method and the problem of correlation of frustrated local order and global universality. The largest section is critical scaling which reports experimental results on sol-gel transitions, its relation with percolation and the fractal nature of polymer solution and critical fluctuations have been highlighted. Several theoretical investigations concentrate on the complex disordered systems in search of universality. The question of universality in phase transitions in low symmetry systems is particularly relevant as the necessary and sufficient conditions for universality in this area are still imprecise. The introduction of the concept of 'weak' and 'strong' universality seems to be a significant step for analysing low symmetry system. Another important area has been focussed in the study of universality class of fluctuating membranes where unlike their counterpart, namely, fluctuating chains which are comparatively well understood, the behaviour pattern appears to contain rich structure.

The third section deals with ramified structures and fractals. A microscopic model for growth processes has been proposed which indicates some universality and in fact, the multifractality appearing from growth probability distribution seems to have been detected in viscous fingers and the growth of ammonium chloride. On the otherhand some universal features in fracture as in the case of growth has been reported and it is sure to generate vigorous activities both

experimental and theoretical for further clarification of ideas in near future. The fourth section on anomalous scaling laws examines its relations with the established critical scaling laws. In particular, the differences and agreements between multifractal and multicritical behaviours have been carefully established. The scaling and universality in surface roughness in various deposition models are found to compare quite favourably with simulation results and this seems to throw new light on growth processes as well. The theoretical results that are coming up may be soon compared with real situations.

Undoubtedly, the most important contribution in section five is the experiment called, 'soft turbulence'-a particular state of turbulence which separates the chaotic state and the 'hard turbulence' where a simple scaling law has been established. The understanding of chaotic systems in terms of topological universality is a novel attempt. The classical chaos although a well-investigated field needs to be looked at microscopically. The initial result in this direction has been obtained which suggests a localisation phenomenon in momentum space analogous to Anderson localisation. However, it remains unclear whether the quantum suppression of chaotic phenomenon thus obtained is model independent. Further work will hopefully resolve the problem. Finally, the universal behaviour appearing as the stretched exponential relaxation for disordered systems has been commendably treated in terms of a percolation problem.

The scaling laws in different areas of science have contributed quite significantly to our understanding of nature. In complex systems this method suggests new insight and supplements existing knowledge. This is amply illustrated in the various problems presented. The present collection of articles indicates the topical problems and directions of future research in certain areas of condensed matter physics.

C BASU

*Department of Solid State Physics,
Indian Association for the Cultivation of Science,
Jadavpur, Calcutta-700 032*

Static and Dynamic Properties of Liquids (Springer Proceedings in Physics, Vol 40)

Proceedings of the International Symposium, Dubrovnik, Yugoslavia, June 27-July 2, 1988)
edited by M Davidovic and A K Soper

Springer-Verlag : Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989
ix+ 225 pages, 127 figures ; price : DM 120 (Hard cover) ; ISBN 3-540-51384-1

In recent years, there has been intense activity in understanding the static and dynamic properties of liquids. The present volume which is outcome of a conference held in Dubrovnik, Yugoslavia in June 27-July 2, 1988 and summarises some of the latest developments in this area. The major emphasis in this volume is to critically

compare the different theoretical strategies with computer simulations and neutron scattering (NS) experiments. The twenty eight articles in this volume are arranged under five headings, generalised hydrodynamics and mode coupling theories, theory of liquids, liquids at surfaces, supercooled liquids and glass transition, structure of liquids, and effective pair potentials and three body forces. In the concluding article Dahlborg and Davidovic summed up the proceedings of the conference.

For the dynamic properties, De Graaf pointed out the need for extracting accurate dynamic scattering function from experiments. A number of theoretical models e.g. revised Enskog theory, eigenmode analysis, generalised hydrodynamics with mode coupling theory have been compared with Molecular Dynamic (MD) simulations and NS experiments. The broad consensus that emerged is, for simple atomic fluids (for instance, liquid metals and noble gas fluids) the present day knowledge is quite good. However, for molecular liquids the validity of these theoretical models could not be examined because of the poor sensitivity of neutron scattering experiments in case of molecular fluids.

In order to perform MD simulations, it is essential to know the forces between the particles or more precisely the effective pair potential which the experimentalists try to obtain from static structure factors. A number of authors (e.g. Hafner *et al*, Dzugutov, Soper and others) have addressed this issue and also the problem of including the many body effects in pair potentials.

Liquid-glass transition (LGT) and mode coupling theories also received a lot of attention in this volume. The theories predict that when LGT is approached from the liquid side an ergodic to non-ergodic phase transition occurs and the system obeys a scaling law. In this connection the elegant experiments by Mezei *et al* deserves special mention. Szolander and others have discussed different aspects of LGT and the shortcomings of mode coupling theories. It is suggested that MD simulations on large systems approaching LGT both from the liquid and the solid side are needed to ascertain whether the theories are applicable to real systems.

Part III of this volume reports some interesting simulation studies on liquids at interfaces. Because of their obvious implications in biomembranes and surface chemistry these section will enthuse a wide variety of chemists and biologists. The interesting article on the statistical mechanical theory of ionic equilibrium of water will also stimulate a number of chemists.

The editors have to be specially commended for the very careful blend of reviews and contributed papers. Thus while this volume will be greeted by a nonspecialist as an lucid yet comprehensive introduction to this field, it will also serve as an excellent update of the current developements. Although this volume contains no article on the study of dynamics in liquid phase using ultrashort laser pulses, many of the theoretical models discussed are very much relevant for them also.

To sum up, this volume contains a number of stimulating articles which covers a rather wide area ranging from analytical models and computer simulations on one hand to physics and chemistry at interfaces and liquid-glass transition on the other hand. It will definitely be a prize addition to any physics, chemistry and even biological library.

KANKAN BHATTACHARYA

*Department of Physical Chemistry,
Indian Association for the Cultivation of Science,
Jadavpur, Calcutta-700 032*

Magnetic Phenomena (Lecture Notes in Physics, Vol 337)

(The Warren E Henry Symposium on Magnetism in Commemoration of His 80th Birthday and His Work in Magnetism, Washington DC, August 15-16, 1988)

edited by A P MacLIn, T L Gill and W W Zachary

Springer-Verlag : Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989

vi+142 pages ; price : DM 55 (Hard cover) ; ISBN 3-540-51428-7

The book under review contains lectures given at the Warren E Henry Symposium on Magnetism in commemoration of his 80th birthday and his work in magnetism. The book is divided into five parts. Part 1 is titled Magnetism : A superconducting Phenomenon and contains the abstracts of talks by P W Anderson and Henry Neal. Anderson discusses briefly the key ideas which are relevant for the understanding high- T_c superconductivity. The inclusion of the full lecture would have proved to be a valuable addition to the book. Neal discusses a non-perturbative method of obtaining the ground state energy of the Hubbard model which is an improvement over the Hubbard I approximation. Part 2 contains two articles on artificially structured magnetic materials. The first article describes molecular beam epitaxy (MBE) used for the fabrication of microstructures involving magnetic and semimagnetic semiconductor compounds. The artificial structures obtained, exhibit novel physical properties. Two examples are discussed : the first concerns multiple quantum well structured based on the wide bandgap semiconductor ZnSe. Quantum behaviour is studied through optical measurements of magnetic ions contained in the wider bandgap barrier layers of (Zn, Mn)Se. The second example discusses the effect of reduced dimensionality on the ordering of a magnetic semiconductor. The article by Arrott describes how new phases and morphologies are obtained for the magnetic elements by starting with a substrate on which adatoms deposit to attain a desired configuration. The substrate controls structure and morphology of the layer deposited. A plane of adatoms once deposited serves as the substrate for the next layer and engineering of magnetic materials at the atomic level becomes possible. The techniques of surface science and ultra high vacuum which make atomic level manipulation possible are discussed in details and magnetic systems with enhanced anisotropy described. Part 3 of the book deals

with nonlinear phenomena in magnetization fields. Suhl and Briant in their article discuss the static configurations, specially the structure of domains which the magnetization assumes when a magnetic field is applied to a sample. Samples of various geometries have been considered and treatment of nonlinear effects discussed. Gill and Zachary in a very informative article consider the Landau-Lifschitz (LL) equations which describe how magnetization develops with time in classical ferromagnets. They discuss the effect of dissipative terms in the LL equations and show that solutions include attractors of finite dimension. This implies that spin-wave instabilities leading to chaotic behaviour have major contribution from a finite number of spin wave modes. Part 4 starts with an article by Nakamura which deals with the interesting problem of quantum chaos in magnetic phenomena. The criteria for quantum chaos are still controversial, two possible evidences which have been quoted in literature are quantum diffusions and irregular energy spectra. Nakamura discusses two problems (1) quantum dynamics of a pulsed spin system and (2) quantum billiard in a magnetic field. For the first system anomalous quantum diffusion of spin wave functions near the chaotic threshold is obtained. The quantum billiard problem concerns the quantum mechanics of noninteracting electrons in a planar billiard (a thin conducting disk, say) with elliptic boundary and in the presence of a magnetic field perpendicular to the plane of the billiard. In the classical limit single electron dynamics leads to chaotic behaviour when the Larmor radius is comparable to the linear dimension of the billiard. Quantum aspects are included by specifying Dirichlet-type boundary conditions. The single electron eigenvalue problem is discussed with the conclusion that reduction in the diamagnetic susceptibility could be treated as an evidence of quantum chaos. Goldberg in his article extends the original calculation of Korringa, taking into account only single-site spin flip, to the multi-site case in order to calculate the Korringa relaxation rate. The last part of the book is titled magnetic devices and anisotropy. There are four articles in this part. The first article describes thin film magnetic Random Access Memory devices. The second article discusses determination of magnetic anisotropy energy for the single crystal $Y_{1.8}Er_{0.2}Fe_{14}B$ using torque magnetometry methods. The third and fourth articles deal with ferromagnetic and antiferromagnetic complexes of cobalt and nickel and low temperature phase transitions in ferromagnetic rare earth alloys respectively. The book on the whole is informative though the inclusion of widely different topics in magnetism in a single book is questionable. Different parts of the book might be of interest to different categories of research workers. Inclusion of more topics in the individual parts of the book would have made these more substantial.

INDRANI BOSE

Department of Physics,

Bose Institute,

93/1, A. P. C. Road, Calcutta-700 009

Functional Integration, Geometry and Strings (Progress in Physics, Vol 13)

(Proceedings of the XXV Karpacz Winter School of Theoretical Physics, Karpacz, Poland, 20 Feb-3 March, 1989)

edited by Z Haba and J Sobczyk

Birkhauser-Verlag : Switzerland, 1989

459 pages ; price : SFR 118.00 ; ISBN 3-7643-2387-6

The annual winter schools held in Karpacz, Poland, have been running for over 25 years now and have acquired a solid reputation for quality. They are generally on topics in quantum field theory and are usually more abstract and mathematical than schools held in this area in India. The volume under review is no exception to this tradition and covers geometric and analytic aspects of string theory. This is a subject on which a considerable number of physicists are working on in India at present. Since the volume consists of 27 separate articles, I shall have to be very selective and shall highlight only those of interest to all serious students of the subject.

The opening article 'Fun with Strings' by Michio Kaku is a masterly survey of both the history and the present status of string theory by one of its pioneers. This article is sufficient reason for this volume to be in every High Energy Physics library. The remaining 26 articles are grouped into 4 sections.

Section I (*strings : summing over surfaces*) consists of 5 articles. The articles of Carlip on the sewing of conformal field theories and of string amplitudes and of Ohrndorf on the operator formalism are both highly recommended for the serious student. The article by Lugo and Russo concerned with the work of the Trieste group on application of the Krichever-Novikov bases is also recommended since work on this subject is also going on in India.

Section II (*strings : field theory*) has 8 articles. The first 5 are a series of lectures by S. J. Gates on a lagrangian field theory approach to strings. This could be of interest to those looking for an unconventional approach, though I personally found it unappealing. The article by Jevicki on the renormalization group applied to string theory, on the other hand, is an excellent introduction to a topic with which every student of string theory should be acquainted.

Section III (*functional integration and conformal field theory*) has 7 articles. The first article by S. Albeverio et al reviews mathematical aspects of functional integration in quantum mechanics, gauge theory and string theory. It is substantial and up-to-date and will be useful to anybody interested in mathematical physics. The article by Gawedzki sets up axiomatic approach to conformal field theory on Riemann surfaces in the style of Belavin-Polyakov-Zamolodchikov (BPZ) over the complex plane, illustrated by the WZW and coset models. The articles by Alexey Zamolodchikov is an introductory account of conformal field theory starting from the BPZ paper and going up to work by Knizhnik, Polyakov and Zamolodchikov on 2-d gravity.

Section IV (*quantization of constrained systems*), has 6 articles. Here I strongly recommend the article by van Holten on BRST quantization in gauge theories.

Apart from the articles I have cited, there are numerous articles of interest to experts. As already noted, this volume maintain the high standard of the Karpacz schools and should be in all libraries.

A K RAINA

*Theoretical Physics Group,
Tata Institute of Fundamental Research,
Homi Bhabha Road, Bombay-400 005*

Physical Chemistry of, in and on Silicon (Springer Series in Materials Science, Vol 8)

edited by G F Cerofolini, F Gianfranco and L Meda

Springer-Verlag : Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989

viii+122 pages, 26 figures ; price : DM 49 (Hard cover) ; ISBN 3-540-19049-x

No one can doubt the importance of silicon which is a part and parcel of our day to day life. This book will certainly prove to be a most welcome source of information to the scientists working in the field of silicon processing. It starts with a general introduction on silicon metallurgy and its two mechanical properties like fracture limit and plastic limit. The next chapter deals with the different phases of silicon and the different parameters characterising them. The third chapter explains the occurrence of different defects like vacancies, self-interstitials, vacancy-interstitial pair, stacking faults etc. at different equilibrium conditions. The impurity concentration in different single crystals embedded as a result of growth process has been described in the next chapter.

A simple theory for shallow dopants has been described in Chapter 5. Chapter 7 deals in a concise and informative manner the interaction of defects, the various diffusion mechanisms and the effect of impurities on defects. One of the most interesting and recently studied problems is the phenomena involving surfaces and interfaces. These include surface relaxation, reconstruction, formation of surface compounds, chemisorption, oxidation etc. These have been discussed in Chapter 8. The last chapter brings forth the present developments in device technology using silicon. Future projects using silicon have also been highlighted.

The book is written lucidly. It is brief and has a good collection data on silicon through various tables. References have been carefully restricted to only those of real importance.

This is not only useful as a text book for students but a useful handbook for scientists working in the field of silicon technology.

S K SEN

*Department of Materials Sciences,
Indian Association for the Cultivation of Science,
Jadavpur, Calcutta-700 032*

Theory of Multiparticle Production Process

by Y P Nikitin and I L Rozenthal

Harwood Academic Publishers : New York, 1988
339 pages ; price : \$ 199.00 ; ISBN 3-7186-4809

Multiparticle production in high energy collisions has remained over the past decades a challenging and fascinating subject for both experimental and theoretical investigations in high energy physics. Apart from tremendous increase in the range of collision energy, other remarkable developments and unmistakable shifts in interest have occurred over the years in both the experimental and the theoretical scenario. The present day theorists have to grapple with and interpret data for hadron production not merely in hadron-hadron collisions but those from e^+e^- annihilation, deep-inelastic scattering and heavy-ion collisions. The book under review, addresses to multi-particle production mainly in hadron-hadron collision and to some extent in deep-inelastic scattering and is thus restricted in its scope. The theoretical models for multiparticle production discussed in the book are essentially the ones that became popular in the decade of the sixties. A fairly satisfactory account is given of the statistical model of Pomeranchuk, the Landau hydrodynamic model, the multiperipheral model and the pomeron model. The parton model kinematics of the structure functions in deep-inelastic scattering are presented in chapter 9, where the parton model description of multiparticle production is also outlined very briefly.

The book should help a student of multiparticle production process in brushing up the kinematics and the basic empirical features of production processes. It can also serve the purpose of a good reference book for the hydrodynamic model which continues to retain some of its popularity.

H BANERJEE

*Theoretical Nuclear Physics Division,
Saha Institute of Nuclear Physics,
92, A. P. C. Road, Calcutta-700 009*

(From Springer-Verlag : Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong)

1. **Physical and Nonstandard Gauges** (Proceedings of a workshop organized at the Institute for Theoretical Physics of the Technical University, Vienna, Austria, September 19-23, 1989)
(Lecture Notes in Physics, Vol 361)
edited by P Gaigg, W Kumar and M Schweda
ix+310 pages ; price : DM 65 (Hard cover) ; 1990
ISBN 3-540-52815-6
2. **Classical Dynamics and its Quantum Analogues** (2nd enlarged and updated edn.)
(Lecture Notes in Physics, Vol 110)
by P David
ix+333 pages ; 101 figures ; price : DM 78 (Hard cover), 1990
ISBN 3-540-51398-1
3. **Inverse Methods in Action** (Proceedings of the Multicentennials Meeting on Inverse Problems, Montpellier, November 27-December 1, 1989)
(Inverse Problems and Theoretical Imaging)
edited by P C Sabatier
xiv+636 pages ; 125 figures ; price : DM 138 (Hard cover), 1990
ISBN 3-540-51994-7
4. **Integrable Systems and Applications** (Proceedings of a Workshop held at Oleron, France, June 20-24, 1988)
(Lecture Notes in Physics, Vol 342)
edited by M Balabane, P Lochak and Sulem
vii+342 pages ; price : DM 65 (Hard cover), 1989
ISBN 3-540-51615-8
5. **Elementary Particle Physics : Concept and Phenomena**
by O Nachtmann
xix+559 pages, 171 figures ; price : DM 98 (Soft cover), 1990
ISBN 3-540-51647-6
6. **Relativistic Quantum Mechanics : Wave Equations**
(Theoretical Physics-Text and Exercise Books, Vol 3)
by W Greiner
xvi+345 pages, 62 figures ; price : DM 75 (Soft cover), 1990
ISBN 3-540-50986-0