

Thermodynamic functions of 2-chloroheptane from its vibrational frequencies

S Srinivasan, U Ponnambalam and S Gunasekaran^{1*}

Department of Physics, Presidency College, Chennai-600 005, India

¹Department of Physics, Pachaiyappa's College, Chennai-600 030, India

E-mail : srvs_srvs@yahoo.com

Received 27 May 2004, accepted 29 November 2004

Abstract : The complete assignments of the calculated vibrational frequencies of 2-chloroheptane are used to compute the thermodynamic functions, namely, the enthalpy (H_{vib}), heat capacity (C_{vib}) and entropy (S_{vib}) due to vibrational contribution. These functions have been calculated by using standard expressions, at one atmospheric pressure in the temperature range of 100–500 K, under the rigid rotator harmonic oscillator approximation.

Keywords : Thermodynamic function, vibrational frequency.

PACS Nos. : 33.20.Tp, 82.60.-s

In the study of chemical kinetics and chemical equilibrium, knowledge of the thermodynamic functions is of great importance [1]. The direct experimental measurement of these quantities is usually tedious and may not be reliable. The conformational properties of secondary halides have attracted the attention of several groups of workers [2–5] largely in the context of using these molecules as model compounds for polyvinyl chloride. Neena Jaggi and Jaiswal [6] studied the vibrational spectral analysis of 2-chloroheptane alongwith its various conformational properties. The interpreted fundamental vibrational frequencies of 2-chloroheptane as given by Jaggi and Jaiswal, have been utilized to calculate the various thermodynamic functions due to vibrational contributions in the temperature range of 100–500 K at one atmospheric pressure under the usual approximation of molecules being rigid rotator harmonic oscillator. The thermodynamic functions of the title molecule under investigation, which have not been reported so far, are computed.

The total energy of a molecule (E) is the sum of translational, rotational, vibrational and electronic energies i.e., $E = E_t + E_r + E_v + E_e$. Thus, the molecular partition function is the product of the translational, rotational, vibrational and electronic partition functions of the molecule. The relations between the partition functions and various thermodynamic functions will be used to evaluate the thermodynamic functions due to the translational, rotational and vibrational degrees of freedom of molecular motions. In the present study, we have computed the vibrational contribution to thermodynamic functions alone, by using the standard expressions as given by Colthup [7]. They are :

$$H_{\text{vib}} = (nRT(x/T))/(\exp(x/T) - 1),$$

$$C_{\text{vib}} = (nR(x/T)^2 \exp(x/T))/(\exp(x/T) - 1),$$

$$S_{\text{vib}} = \{(nR(x/T))/(\exp(x/T) - 1)\} \\ - \{nR(\ln(1 - \exp(-x/T)))\},$$

where $(x = (hc)/(\lambda k))$.

*Corresponding Author

Here, h is the Planck's constant, k is the Boltzmann constant, R is the universal gas constant, T is the temperature and λ is the wavelength.

Theoretically, there are 63 fundamental vibrational frequencies of 2-chloroheptane. These have been utilized for calculating their contributions to thermodynamic functions at various temperatures ranging from 100–500 K. Then, each contribution to the thermodynamic functions has been added to get the net value.

The calculated values of the vibrational contribution to the thermodynamic functions (H_{vib} , C_{vib} and S_{vib}) for the title molecule have been shown in Tables 1 and 2.

Table 1. Vibrational contributions to enthalpy with temperature for 2-chloroheptane (J/mol).

Calc. freq. (1/cm)	Enthalpy at different temperatures					
	100 K	200 K	273 K	298 K	400 K	500 K
2976	0	0.000018	0.0057	0.0212	0.819	6.93
2964	0	0.00002	0.0061	0.0223	0.852	7.14
2964	0	0.00002	0.0061	0.0223	0.852	7.14
2964	0	0.00002	0.0061	0.0223	0.852	7.14
2963	0	0.00002	0.0061	0.0224	0.854	7.16
2934	0	0.000025	0.007	0.0255	0.939	7.71
2931	0	0.000025	0.00712	0.0259	0.948	7.77
2927	0	0.000026	0.00726	0.0264	0.961	7.85
2923	0	0.000027	0.00741	0.0268	0.973	7.92
2876	0	0.000037	0.0093	0.0331	1.133	8.92
2876	0	0.000037	0.0093	0.0331	1.133	8.92
2869	0	0.000039	0.00965	0.0342	1.159	9.08
2866	0	0.00004	0.0098	0.0346	1.171	9.15
2863	0	0.00004	0.00994	0.0351	1.182	9.22
2860	0	0.000041	0.0101	0.0356	1.194	9.29
1494	0	0.394	6.92	13.39	84.7	248.22
1480	0.00001	0.431	7.38	14.19	87.73	256.12
1478	0.00001	0.437	7.45	14.31	88.25	257.27
1475	0.0000112	0.445	7.55	14.49	89.03	259
1473	0.0000116	0.451	7.62	14.61	89.55	260.16
1472	0.0000117	0.454	7.66	14.67	89.81	260.74
1472	0.0000117	0.454	7.66	14.67	89.81	260.74
1467	0.0000126	0.469	7.84	14.97	91.13	263.67
1457	0.0000144	0.501	8.21	15.61	93.84	269.62
1440	0.0000182	0.559	8.87	16.74	98.61	280.01
1398	0.0000323	0.734	10.74	19.9	111.4	307.31
1389	0.0000365	0.778	11.18	20.65	114.34	313.47
1383	0.0000396	0.809	11.49	21.17	116.35	317.65
1375	0.0000442	0.851	11.92	21.87	119.06	323.29

Table 1. (Con't.)

1334	0.0000772	1.109	14.35	25.86	133.97	353.69
1314	0.000101	1.261	15.71	28.05	141.87	369.45
1312	0.000104	1.277	15.84	28.28	142.68	371.06
1284	0.000152	1.528	17.97	31.68	154.54	394.31
1249	0.000245	1.911	21.01	36.49	170.67	425.25
1216	0.000383	2.35	24.34	41.66	187.32	456.44
1207	0.000432	2.49	25.33	43.19	192.11	465.3
1141	0.00105	3.78	33.91	56.17	230.95	535.2
1126	0.00129	4.16	36.21	59.6	240.74	552.35
1108	0.00164	4.66	39.18	63.98	253	573.59
1089	0.00212	5.25	42.56	68.94	266.56	596.8
1085	0.00223	5.38	43.31	70.03	269.5	601.79
1057	0.00326	6.41	48.91	78.14	290.93	637.8
992	0.00777	9.6	64.71	100.51	346.85	728.9
958	0.0012	11.83	74.79	114.51	379.86	781
914	0.0021	15.49	90.08	135.36	426.81	853.27
876	0.0036	19.51	105.62	156.17	471.5	920.33
855	0.047	22.14	115.25	168.91	497.97	959.32
772	0.142	36.33	161.99	229.32	616.01	1127.71
721	0.276	49.01	198.88	275.71	700.22	1243.21
605	1.224	95.25	313.14	414.38	929.89	1543.42
530	3.14	144.28	415.61	534.27	1110.28	1767.6
462	7.28	207.85	532.98	668.02	1298.2	1992.93
372	21.42	330.53	731.56	888.07	1586.02	2325.46
338	31.81	391.35	821.26	985	1707.15	2461.7
279	61.87	519.88	998.32	1175	1934.38	2712.44
190	158.74	779.26	1321.91	1514	2319.96	3126.08
110	341.07	1092.04	1676.42	1879	2712.45	3535.28
94	393.05	1164.61	1754.97	1958	2796.31	3621.44
77	454.98	1245.55	1841.29	2046	2887.38	3714.57
72	474.57	1270.11	1867.24	2072	2914.56	3742.27
39	620.33	1440.98	2045.01	2252	3098.37	3928.69
21	712.41	1540.67	2146.75	2354	3201.9	4032.98
17	734.11	1563.45	2169.82	2377	3225.22	4056.41

The computed thermodynamic functions are plotted as a function of temperature and are presented in the Figures 1–3. The enthalpy function represents the total energy stored in a system. When a system is brought from liquid to vapour state, the enthalpy of the system increases. Similar trend is reflected in Figure 1 as the temperature increases from 100–500 K. The vibrational contributions to net enthalpy for 2-chloroheptane at 100, 200, 273, 298, 400 and 500 K are 4.016, 11.999, 19.948, 23.160, 39.214 and 59.506 kJ/mol respectively. It is evident from

Table 2. Vibrational contributions to heat capacity and entropy with temperature for 2-chloroheptane (J/K/mol).

Calc. freq. (1/cm)	Heat capacity at different temperatures						Entropy at different temperatures					
	100 K	200 K	273 K	298 K	400 K	500 K	100 K	200 K	273 K	298 K	400 K	500 K
2976	15257.5	3814.3	2047.1	1718.1	953.6	610.4	0	0	0.000022	0.0000792	0.0024	0.0171
2964	15134.7	3783.6	2030.7	1704.2	945.9	605.5	0	0	0.000024	0.0000836	0.0025	0.0177
2964	15134.7	3783.6	2030.7	1704.2	945.9	605.5	0	0	0.000024	0.0000836	0.0025	0.0177
2964	15134.7	3783.6	2030.7	1704.2	945.9	605.5	0	0	0.000024	0.0000836	0.0025	0.0177
2963	15124.5	3781.1	2029.3	1703.1	945.3	605	0	0	0.000024	0.000084	0.0025	0.0177
2934	14829.8	3707.4	1989.8	1669.9	926.8	593.3	0	0	0.000028	0.0000958	0.0027	0.0191
2931	14799.5	3699.8	1985.7	1666.5	924.9	592.1	0	0	0.000028	0.0000971	0.0028	0.0193
2927	14759.5	3689.8	1980.3	1662	922.4	590.4	0	0	0.000029	0.0000989	0.0028	0.0195
2923	14718.9	3679.7	1974.9	1657.4	919.9	588.8	0	0	0.000029	0.0001	0.0029	0.0197
2876	14249.3	3562.3	1911.9	1604.5	890.6	570.1	0	0	0.000037	0.000124	0.0033	0.0223
2876	14249.3	3562.3	1911.9	1604.5	890.6	570.1	0	0	0.000037	0.000124	0.0033	0.0223
2869	14180.1	3545	1902.6	1596.7	886.2	567.3	0	0	0.000039	0.000128	0.0034	0.0227
2866	14150.4	3537.6	1898.6	1593.4	884.4	566.1	0	0	0.000039	0.00013	0.0034	0.0029
2863	14120.8	3530.2	1894.6	1590.1	882.5	564.9	0	0	0.00004	0.000132	0.0035	0.0231
2860	14091.2	3522.8	1890.7	1586.7	880.7	563.8	0	0	0.00004	0.000134	0.0035	0.0232
1494	3845.2	961.3	516.1	433.3	241.4	155.9	0	0.00232	0.0321	0.05814	0.296	0.752
1480	3773.4	943.3	506.5	425.2	236.9	153.1	0	0.00254	0.0343	0.06177	0.309	0.779
1478	3763.2	940.8	505.1	424.1	236.3	152.6	0	0.00258	0.0346	0.06231	0.311	0.782
1475	3748	937	503.1	422.3	235.4	152.1	0	0.00263	0.03513	0.06312	0.314	0.788
1473	3737.8	934.4	501.7	421.2	234.7	151.6	0	0.00266	0.03547	0.06367	0.316	0.792
1472	3732.7	933.2	501	420.6	234.4	151.4	0	0.00268	0.03564	0.06395	0.317	0.794
1472	3732.7	933.2	501	420.6	234.4	151.4	0	0.00268	0.03564	0.06395	0.317	0.794
1467	3707.4	926.8	497.6	417.8	232.9	150.5	0	0.00277	0.03649	0.06534	0.322	0.804
1457	3657.1	914.3	490.9	412.1	229.7	148.5	0	0.00296	0.03827	0.06823	0.332	0.824
1440	3572.2	893.1	479.5	402.6	224.5	145.1	0	0.00332	0.04148	0.07342	0.351	0.86
1398	3366.9	841.7	452	379.5	211.8	137.1	0	0.00438	0.05062	0.0798	0.401	0.953
1389	3323.7	830.9	446.2	374.7	209.1	135.4	0	0.00465	0.05282	0.09145	0.411	0.975
1383	3295.1	823.8	442.4	371.5	207.3	134.3	0	0.00484	0.05434	0.09384	0.419	0.989
1375	3257	814.3	437.3	367.2	205	132.8	0	0.00511	0.05643	0.09712	0.43	1.009
1334	3065.6	766.4	411.7	345.7	193.1	125.3	0	0.00669	0.06847	0.115	0.489	1.116
1314	2974.4	743.6	399.4	335.5	187.5	121.7	0	0.00763	0.07524	0.126	0.521	1.173
1312	2965.4	741.4	398.2	334.5	187	121.3	0	0.00773	0.07595	0.127	0.523	1.178
1284	2840.1	710.1	381.5	320.4	179.2	116.4	0	0.00931	0.08663	0.143	0.571	1.262
1249	2687.4	671.9	361	303.3	169.8	110.5	0	0.0117	0.102	0.166	0.637	1.376
1216	2547.3	636.9	342.3	287.6	161.2	105	0	0.0145	0.119	0.191	0.705	1.492
1207	2509.7	627.5	337.3	283.4	158.9	103.5	0	0.0154	0.124	0.199	0.725	1.525
1141	2242.7	560.8	301.6	253.5	142.5	93.2	0.000014	0.0237	0.169	0.263	0.889	1.793
1126	2184.2	546.2	293.8	247	138.9	90.9	0.000014	0.0261	0.181	0.281	0.931	1.86
1108	2114.9	528.9	284.5	239.2	134.6	88.2	0.000017	0.0294	0.197	0.302	0.985	1.944
1089	2043	510.9	275	231.2	130.2	85.4	0.000023	0.0332	0.215	0.328	1.044	2.036
1085	2028	507.2	273	229.5	129.3	84.8	0.000024	0.0341	0.219	0.333	1.057	2.056

Table 2. (Con't.)

1057	1924.7	481.4	259.2	218	123	80.8	0.000035	0.0409	0.249	0.375	1.152	2.202
992	1695.2	424.1	228.6	192.4	109	71.9	0.000086	0.0622	0.336	0.492	1.406	2.582
958	1581.2	395.6	213.5	179.7	102	67.5	0.00013	0.0775	0.393	0.568	1.561	2.807
914	1439.1	360.2	194.6	164	93.4	62	0.00024	0.102	0.481	0.682	1.786	3.127
876	1321.9	331.1	179.1	151	86.3	57.4	0.00041	0.13	0.572	0.799	2.006	3.433
855	1259.3	315.5	170.8	144.1	82.5	55	0.00054	0.149	0.629	0.871	2.14	3.615
772	1026.7	257.6	140.1	118.4	68.4	46	0.0016	0.253	0.917	1.228	2.759	4.44
721	895.5	225.1	122.9	104	60.4	40.9	0.0032	0.348	1.154	1.515	3.226	5.042
605	630.6	159.6	88.2	75	44.4	30.5	0.0151	0.718	1.943	2.441	4.617	6.764
530	484.1	123.7	69.1	59	35.5	24.7	0.0401	1.141	2.721	3.323	5.842	8.219
462	368.1	95.3	54	46.3	28.3	19.9	0.096	1.732	3.695	4.405	7.261	9.856
372	239.5	63.9	37.2	32.1	20.1	14.5	0.302	3.006	5.571	6.441	9.776	12.675
338	198.3	53.9	31.7	27.5	17.4	12.6	0.462	3.706	6.525	7.459	10.986	14.003
279	136.5	38.7	23.3	20.4	13.2	9.7	0.961	5.349	8.642	9.694	13.564	16.79
190	66.5	20.8	13.1	11.6	7.8	5.9	2.862	9.516	13.595	14.836	19.246	22.796
110	26.2	9.5	6.3	5.6	3.9	3	7.799	17.006	21.849	23.269	28.185	32.035
94	20.5	7.7	5.2	4.6	3.3	2.5	9.645	19.411	24.411	25.868	30.889	34.798
77	15.2	6	4.1	3.7	2.6	2	12.211	22.584	27.754	29.251	34.379	38.355
72	13.8	5.5	3.7	3.4	2.4	1.9	13.124	23.679	28.899	30.407	35.568	39.563
39	6.1	2.6	1.8	1.7	1.25	0.9	22.375	34.152	39.707	41.292	46.669	50.791
21	2.9	1.3	0.9	0.8	0.6	0.5	32.848	45.309	51.049	52.676	58.173	65.364
17	2.2	1	0.7	0.7	0.5	0.4	36.586	49.199	54.981	56.618	62.141	66.348




Figure 1. Variation of enthalpy of 2-chloroheptane with temperature.




Figure 3. Variation of entropy with temperature for 2-chloroheptane.




Figure 2. Variation of heat capacity of 2-chloroheptane with temperature.

Figure 2 that the heat capacity decreases with the increase of temperature. Vibrational contributions to the total heat capacity of the system in the above temperature range, are 314.0, 78.54, 42.19, 35.43, 19.73 and 12.71 kJ/K/mol.

The entropy is regarded as a measure of disorder of a system. The process of vaporization is accompanied by the increase in entropy because of the increase in the disorder in the system. The vibrational entropy is a complicated function of $hc/\lambda kT$. Hence, S_{vib} increases as the temperature increases. The vibrational entropies at 100, 200, 273, 298, 400 and 500 K are 0.139, 0.237, 0.298, 0.318, 0.397 and 0.476 kJ/K/mol respectively as shown in Figure 3. Thus, the enthalpy and entropy of 2-chloroheptane compound increase with temperature, whereas the heat capacity decreases with temperature. The reason for this is the vibrational contributions to the

enthalpy and entropy for the title molecule by the higher fundamental vibrational frequencies are small. The lower fundamental frequencies contribute appreciable values to the net values of the entropy and enthalpy of the system, but it is quite opposite in case of the heat capacity.

References

[1] S L Gupta and V Kumar *Elementary Statistical Mechanics* (Meerut : Pragati Prakashan) 12th edn (1993)

[2] W O George, J E Goodfield and W F Maddams *Spectrochim. Acta* **41A** 1243 (1985)

[3] X Jing and S Krimm *Spectrochim. Acta* **39A** 251 (1983)

[4] P Klaeboe, C J Nielsen and D L Powell *Spectrochim. Acta* **41A** 1315 (1985)

[5] S H Chough and S Krimm *Spectrochim. Acta* **46A** 1405 (1990)

[6] Neena Jaggi and R M P Jaiswal *Indian J. Pure Appl. Phys.* **40** 385 (2002)

[7] N B Colthup, L S Daly and S E Wiberly *Introduction to Infrared and Raman Spectroscopy* (New York : Academic) (1964)